

**2020 hot sale custom 80X60X26.5mm abs plastic box Ip54 handheld enclosure supplyAK-H-71**

**High quality enclosure show:**

**SZOMK**

*Customizable  
Cutout, sticker*



Weight: 39g

Size: 80\*60\*26.5 mm

Model No. AK-H-71

3.15\*2.36\*1.04 inch

SZOMK

*Customizable  
Cutout, sticker*



Weight: 39g

Size: 80\*60\*26.5 mm

Model No. AK-H-71

3.15\*2.36\*1.04 inch

SZOMK

*Customizable  
Cutout, sticker*



Weight: 39g

Size: 80\*60\*26.5 mm

Model No. AK-H-71

3.15\*2.36\*1.04 inch

**SZOMK**

*Customizable  
Cutout, sticker*



Weight: 39g

Size: 80\*60\*26.5 mm

Model No. AK-H-71

3.15\*2.36\*1.04 inch

Type	Handheld plastic enclosure
Model No.	AK-H-71
Size	80X60X26.5mm
Color	Black□ beige& Customized other color
Weight	39g

**We are pleased to offer you:**



1. Cutout, punching, custom designs etc.
2. Drilling, silk screen printing, laser engraving, sticker, memberane keyboard and so on.
3. Short delivery time, usually 3-5 days after payment (according to the number)
4. For a timely response to your request.

## Applications:





Safe distancing assistant. Help people maintain safe personal distancing and to keep business open.

It is widely used in electronics, instrumentation, automation, communications , power supply units, student projects, amplifiers, health care equipment, test and measurement equipment, industrial control, peripherals and interface, the switch box.

### **Abs plastic enclosure packaging:**

- 1.Enclosure industrial packaging of poly bag.
- 2.Then of export standard carton.
- 3.As customer request.

### **Hand held enclosure delivery:**

Standard enclosure in stock	1-3 working days
Custom product in stock	3-10 working days
Custom product out of stock	10-20 working days

### **Tip:**

Do not hesitate to contact us for more details and electrical box quotes. Your request will be ready within 24 hours!

### **Contact with us:**



T/T, WESTERN UNION, MONEY  
GRAM AND PAYPAL ACCPETED.

**Skype:** szomk-002

**Tel:** +86 13392837250

**E-mail:** dee@szomk.net

[Contact Us](#)