


ABS 3D Printing

ABS 3D printing is a process that uses a thermoplastic material called Acrylonitrile Butadiene Styrene (ABS). The material is melted and then extruded through a nozzle, where it is cooled and solidified into a layer. This process is repeated until the entire object is built. ABS is a popular material for 3D printing because it is strong, durable, and easy to work with. It is also available in a wide range of colors and finishes. The process is typically used for creating prototypes and functional parts.

ABS 3D printing

1. 100% ABS FR material is used for printing. UL94V-0 is the fire rating of the material. The material is melted and then extruded through a nozzle, where it is cooled and solidified into a layer. This process is repeated until the entire object is built. ABS is a popular material for 3D printing because it is strong, durable, and easy to work with. It is also available in a wide range of colors and finishes. The process is typically used for creating prototypes and functional parts.
2. The material is melted and then extruded through a nozzle, where it is cooled and solidified into a layer. This process is repeated until the entire object is built. ABS is a popular material for 3D printing because it is strong, durable, and easy to work with. It is also available in a wide range of colors and finishes. The process is typically used for creating prototypes and functional parts.
3. The material is melted and then extruded through a nozzle, where it is cooled and solidified into a layer. This process is repeated until the entire object is built. ABS is a popular material for 3D printing because it is strong, durable, and easy to work with. It is also available in a wide range of colors and finishes. The process is typically used for creating prototypes and functional parts.
4. Colour.Silk CNC is a process that uses a thermoplastic material called Acrylonitrile Butadiene Styrene (ABS). The material is melted and then extruded through a nozzle, where it is cooled and solidified into a layer. This process is repeated until the entire object is built. ABS is a popular material for 3D printing because it is strong, durable, and easy to work with. It is also available in a wide range of colors and finishes. The process is typically used for creating prototypes and functional parts.

- ABS 3D printing
1. The material is melted and then extruded through a nozzle, where it is cooled and solidified into a layer. This process is repeated until the entire object is built. ABS is a popular material for 3D printing because it is strong, durable, and easy to work with. It is also available in a wide range of colors and finishes. The process is typically used for creating prototypes and functional parts.
 2. The material is melted and then extruded through a nozzle, where it is cooled and solidified into a layer. This process is repeated until the entire object is built. ABS is a popular material for 3D printing because it is strong, durable, and easy to work with. It is also available in a wide range of colors and finishes. The process is typically used for creating prototypes and functional parts.
 3. The material is melted and then extruded through a nozzle, where it is cooled and solidified into a layer. This process is repeated until the entire object is built. ABS is a popular material for 3D printing because it is strong, durable, and easy to work with. It is also available in a wide range of colors and finishes. The process is typically used for creating prototypes and functional parts.
 4. The material is melted and then extruded through a nozzle, where it is cooled and solidified into a layer. This process is repeated until the entire object is built. ABS is a popular material for 3D printing because it is strong, durable, and easy to work with. It is also available in a wide range of colors and finishes. The process is typically used for creating prototypes and functional parts.




SZOMK

Size:200*120*60mm



Weight:189g

AK-P-46




SZOMK

Size:200*120*60mm




Weight:189g

AK-P-46



SZOMK

Size:200*120*60mm



Weight:189g

AK-P-46