


AK-SMC SMC IP65 PLC

	
型番	AK-SMC-□□
寸法	300×250×140mm □ 400×300×200mm □ 400×400×200mm □ 500×400×200mm □ 600×400×230mm □ 600×500×230mm □ 800×600×300mm
防塵等級	IP65
使用温度範囲	-40℃ ～ 155℃
質量	3.51Kg □ 21.5Kg (重量は寸法により異なります)
材質	SMC(不燃性プラスチック)
接続方式	ケーブル接続
電源電圧	動作電圧：AC100V～240V
消費電力	約10W
設置場所	屋内・屋外両対応
保証期間	無償交換保証：1年
取扱い説明書	日本語・英語の2言語で提供されています。
お問い合わせ先	SMCお客様センター
製品の特長	<p>・高強度、耐衝撃性に優れています。</p> <p>・メンテナンスが簡単です。</p> <p>・環境に優しい素材を使用しています。</p>

SMC FIBERGLASS PROTECTIVE BOX

NEW MATERIALS/QUALITY CREATES SAFETY

- THICKENED SMC MATERIAL
- CORROSION AND IMPACT RESISTANCE
- FLAME RETARDANT AND FIREPROOF



PRODUCT FEATURES



**WATERPROOF
AND DUSTPROOF**



**CORROSION-
RESISTANT**



**EASY
INSTALLATION**




**COMPLETE
SPECIFICATIONS**

IP65 GRADE PLASTIC WATERPROOF BOX

THE SEALING RING MADE OF POLYURETHANE MATERIAL IS WATERPROOF AND CORROSION-RESISTANT.



PRODUCT PARAMETERS



Model	Size(mm)	Weight
AK-SMC-01	300*250*140	3.51Kg
AK-SMC-02	400*300*200	5.5Kg
AK-SMC-03	400*400*200	7Kg
AK-SMC-04	500*400*200	7.6Kg
AK-SMC-05	600*400*230	9.45Kg
AK-SMC-06	600*500*230	11.75Kg
AK-SMC-07	800*600*300	21.5Kg

PRODUCT DETAILS

Integrated One-Piece Sealing Gasket



Recessed Door Lock



High-Quality Hinges



Mounting Corner Brackets




Galvanized Mounting Plate



PRODUCT APPLICATION

Home Applications



Hotel Facilities



Commercial Centers



Construction Sites



Surveillance Systems



CUSTOMIZED SERVICE



CHANGE COLOR



ACRYLIC PLATE



CUTOUT



SILKSCREEN / UV PRINTING



3D PRINTING



VACUUM CASTING



LASER ENGRAVING



STICKER



MEMBRANE KEYBOARD



SHEET METAL BENDING



RFI / EMI SHIELDING COATING



OIL PAINTING



HOT MELT TREATMENT



ELECTROPLATING



CUSTOM PC PLATE



PLASTIC / ALUMINUM CNC