

Szomk

CNC3D

12000 - 1

2DIY-----20-50PC

3PCB

4to

6/PVC/Laserengraving/sticker/Silicone/Cance

Szomk- PCB

AK-MGpp

	OEMODM
	AK-MG-Tool
	PP
	EVA
	1PP-30°C 90°C 2EVA 3PP 4
	ISO9001/rohs/ress
	1pcs

-
-
-
-
-

AK-MG

品名	外形寸法	外形寸法mm	重量g
AK-MG1-1	240*200*55	234*142*48	477
AK-MG1-2	255*213*45	246*162*38	305
AK-MG1-3	280*230*52	271*175*44	338
AK-MG1-4	315*260*70	310*203*62	522
AK-MG101	230*180*45	226*140*40	230
AK-MG101A	220*166*78	215*116*70	325
AK-MG102	250*210*70	243*160*64	337
AK-MG103	280*230*82	270*175*76	403
AK-MG104	335*270*80	324*219*74	645
AK-MG105	400*350*90	385*277*86	950
AK-MG105A	400*350*95	387*277*88	1018
AK-MG106	315*260*125	310*203*117	711.5
AK-MG106A	315*260*180	310*203*172	865
AK-MG107	455*357*105	442*294*100	1288
AK-MG108	393*295*105	385*240*100	830
AK-MG-125	355*260*90	340*190*80	667.5
AK-MG-126	425*310*120	420*245*108	811
AK-MG-126A	425*310*100	420*245*90	813
AK-MG-127	480*370*150	468*297*134	1293
AK-MG-128	450*330*130	442*265*124	1371



SZOMK

SAFETY PROTECTION BOX



PRODUCT FEATURES



IMPACT
RESISTANCE



WEAR RESISTANT
STRENGTH

Pp

PP PLASTIC
MATERIAL



PROFESSIONAL
PROTECTION

REASONS FOR CHOOSING THE SZOMK SAFETY BOX?


IT ALWAYS CATCHES YOUR ATTENTION IN AN INSTANT



CUSTOMIZED LINING

CUSTOMIZATION OF LINING COTTON BASED ON USER SAMPLES OR DRAWINGS, CONTENT DIMENSIONS

CUSTOMIZED PROCESS DIAGRAM



EVA

THE CHARACTERISTIC OF EVA RESIN IS THAT IT HAS GOOD RIGID FIXING POINTS, DOES NOT SLIDE OR FALL OFF, AND IS SUITABLE FOR PRODUCTS OF HEAVY METAL INSTRUMENTS



SPONGE

(HIGH DENSITY SOFT SPONGE, WITH THE CHARACTERISTICS OF ABSORBING EXTERNAL FORCE, DELICATE AND COMFORTABLE HAND FEEL, SUITABLE FOR LIGHTWEIGHT PRODUCTS)




PEARL COTTON

ALSO KNOWN AS EPE PEARL COTTON, IT HAS WATERPROOF, MOISTURE-PROOF, SHOCKPROOF, AND SOUNDPROOF PROPERTIES THERMAL INSULATION PERFORMANCE, SUITABLE FOR DISPOSABLE PACKAGING)

SPONGE DISPLAY IMAGE



CLASSIC PP TOOLBOX PARAMETERS



Model	Inner Size(mm)	Outer Size(mm)	Weight(g)
AK-MG1-1	240*200*55	234*142*48	477
AK-MG1-2	255*213*45	246*162*38	305
AK-MG1-3	280*230*52	271*175*44	338
AK-MG1-4	315*260*70	310*203*62	522
AK-MG101	230*180*45	226*140*40	230
AK-MG101H	220*166*78	215*116*70	325
AK-MG102	250*210*70	243*160*64	337
AK-MG103	280*230*82	270*175*76	403
AK-MG104	335*270*80	324*219*74	645
AK-MG105	400*350*90	385*277*86	950
AK-MG105A	400*350*95	387*277*88	1018
AK-MG106	315*260*125	310*203*117	711.5
AK-MG106H	315*260*180	310*203*172	865
AK-MG107	455*357*105	442*294*100	1288
AK-MG108	393*295*105	385*240*100	830
AK-MG-125	355*260*90	340*190*80	667.5
AK-MG-126	425*310*120	420*245*108	811
AK-MG-126A	425*310*100	420*245*90	813
AK-MG-127	480*370*150	468*297*134	1293
AK-MG-128	450*330*130	442*265*124	1371

PRODUCT DETAILS DISPLAY

USING ENGINEERING PP MATERIAL

BOLD BOTTOM SOLID PIVOT, TESTED MILLIONS OF TIMES TO OPEN AND CLOSE, WILL NOT COME OFF



PHYSICAL PRESSING LOCK BUCKLE

THE LOCK BUCKLE ADOPTS A PRESSURE BASED PHYSICAL PRINCIPLE TO IMPROVE ITS SERVICE LIFE. THE BOX LOCK BUCKLE IS STURDY AND COMPACT, AND CANNOT BE OPENED WITHOUT HUMAN INTERVENTION



ROUNDED CORNER DESIGN

ADOPTING ROUNDED CORNER DESIGN, THICKENED WEAR-RESISTANT PP MATERIAL FOR PRESSURE RESISTANCE, IMPACT RESISTANCE, AND COMPREHENSIVE PROTECTION OF YOUR EQUIPMENT



ULTRA LIGHTWEIGHT CARRYING HANDLE

COMFORTABLE AND HAND FRIENDLY DURING USE



PRODUCT STYLE

SZOMK



AK-MG1-1 240*200*55mm 55g

SZOMK



AK-MG1-2 255*213*45mm 305g

SZOMK




AK-MG1-3 280*230*52mm 338g

SZOMK



AK-MG1-4 315*260*70mm 522g

SZOMK



AK-MG101 230*180*45mm 230g

SZOMK



AK-MG-101H 220*166*78mm 230g

SZOMK



AK-MG102 250*210*70mm 337g

SZOMK



AK-MG103 280*230*82mm 403g

SZOMK



AK-MG104 335*270*80mm 645g

SZOMK



AK-MG105 400*350*90mm 950g

SZOMK



AK-MG105A 400*350*95mm 1018g

SZOMK



AK-MG106 315*260*125mm 711.5g

SZOMK




AK-MG106H 315*260*180mm 865g

SZOMK



AK-MG107 455*357*105mm 1288g

SZOMK




AK-MG108 393*295*105mm 830g

SZOMK



AK-MG-125 355*260*90mm 667.5g

SZOMK




AK-MG-126 425*310*120mm 811g

SZOMK



AK-MG-126A 425*310*100mm 813g

SZOMK



AK-MG-127 480*370*150mm 1293g

SZOMK



AK-MG-128 450*330*130mm 1371g