□□□□

SZOMK
ENCLOSURES FOR TEMPERATURE HUMIDITY MONITOR
SMALL/STRONG/QUALITY
BRAND NEW MATERIAL
CE/RoHS/UL94
SIMPLIFIED DESIGN
SZOMK
CUTOUT
PRINT LOGO
MOQ 1 PIECE

# ENCLOSURES FOR TEMPERATURE HUMIDITY MONITOR

- SMALL/STRONG/QUALITY
- BRAND NEW MATERIAL
- SIMPLIFIED DESIGN
- CE/RoHS/UL94

CUTOUT

PRINT LOGO

MOQ 1 PIECE

SZOMK

# ENCLOSURES FOR TEMPERATURE HUMIDITY MONITOR

- SMALL/STRONG/QUALITY
- SIMPLIFIED DESIGN
- BRAND NEW MATERIAL
- CE/RoHS/UL94

CUTOUT

PRINT LOGO

MOQ 1 PIECE

SZOMK
27MM
72MM
70MM
8MM
ϕ 6MM
66MM
68MM
56MM
54MM

SZOMK
27MM
72MM
70MM
8MM
ϕ 6MM
66MM
68MM
56MM
54MM




Worry-free that the Zigbee signal quality is affected by the wall.Add a plug-in sub-device on the bricge and it can act as a router to ensure communitcation between the Bridge and the battery-powered sub-device.

# □□

□□OMK Electronics Co□□Ltd□□□2010□□□□□□□□□□
□□□□□□□□□□□□□□□□□Thelaltsuppliers□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□1000□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

# □□□□□


FACTORY
HHF130X-1
任何问题 只能使问题复杂化

□□□□□

OUR CUSTOMER

□□□□□

# [illegible]

1.[illegible]
[illegible]

2.[illegible]
[illegible]CAD / PDF[illegible]
[illegible]PDF / CDR[illegible]

[illegible]
[illegible]Cuastmer[illegible]Cuastmer[illegible]

4.□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□PVC□□□□□□□UV□□□□

5.□□□□□□□□□□
□□□□□□□□□□□□□□□;
□□□□□□□□□□□□□;

6.□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□

7.□□□□□□□□□□□□□□□□□□□□□□
1□□□□□□□□DIY□□
2□□□□□□□□□□□□□□□□□□
3□□□□□□3D□□□□
4□□□□□□□□□□□□□□□□
5□□□□□□□

# □□□□