

| | |
|---------------------------|--|
| Produktnr. | Anschlussdose aus wasserdichtem Kunststoffgehäuse mit Bohrung |
| Modellnummer | AK-B-G256MF |
| Äußere Größe | 109*83,5*56,5MM |
| Material | PC |
| IP-Ebene | IP65 |
| Typ | Anschluss-Anschlussdose |
| Vorteil | Abgedichtetes Gehäuse mit Flanschen zur Wandmontage |
| Funktion | Bietet Schutz vor Staub und Feuchtigkeit |
| Funktion | Es verfügt über Verschleißfestigkeit, Korrosionsbeständigkeit und Alterungsbeständigkeit |
| Bewerbung | Elektrische Geräte für den Außenbereich und PCB-Schutzgehäuse |
| Maßgeschneiderter Service | Cuout, Logo, Farbe, Siebdruck, Etikett, Acrylblatt |

SZOMK

109*83.5*56.5mm

56.5mm

109mm


83.5mm

134g

AK-B-G256MF

SZOMK

109*83.5*56.5mm



134g

AK-B-G256MF

SZOMK

109*83.5*56.5mm



134g

AK-B-G256MF

SZOMK

109*83.5*56.5mm



134g

AK-B-G256MF

SZOMK

109*83.5*56.5mm



134g

AK-B-G256MF

SZOMK

109*83.5*56.5mm



134g

AK-B-G256MF

CUSTOMIZED SERVICE



CHANGE COLOR



ACRYLIC PLATE



CUTOUT



SILKSCREEN / UV PRINTING



3D PRINTING



VACUUM CASTING



LASER ENGRAVING



MEMBRANE KEYBOARD



SHEET METAL BENDING



RFI / EMI SHIELDING COATING



HOT MELT TREATMENT



ELECTROPLATING



CUSTOM PC PLATE



OIL PAINTING



PLASTIC / ALUMINUM CNC

