

## Angebotsdetails von Kunststoff-Netzwerk-Gehäuse Electrical Wifi Router Box

**SZOMK**

Customizable  
cutout, sticker  
silkscreen, color



Weight: 230g

Model No.AK-NW-41


Size: 7.48\*7.48\*1.37 inch

190\*190\*35 mm

# SZOMK



# SZOMK



# SZOMK



# SZOMK



## **Vorteile von Kunststoff-Netzwerk Wifi Router Gehäuse**

1. Hat eine starke Beständigkeit gegen Abrieb, Witterung, Korrosion.
2. Kann auf der Oberfläche eine Vielzahl von Farben gebildet werden, um Ihre Anforderungen zu maximieren.
3. Haben Sie eine starke Härte, kann Ihre Elektronik gut geschützt werden.

## **Was wir für Sie tun können**

- 1 Drilling, Punching, etc. Willkommen, um benutzerdefinierte Zeichnungen zur Verfügung zu stellen.
- 2 Pulverbeschichtung, Pinsel, Politur, Siebdruck, Laser Carve, Aufkleber, Gravur, Acrylglas.
- 3 kurze Vorlaufzeit, normalerweise 3-5 Tage nach Zahlung (nach Menge)
- 4 prompt Antwort für Ihre Anfrage

## **Anpassungsdienste**



## Company Information



### Shenzhen Futian Huaqiang Electronic World OMK Electronic Sales Departmen

This complex, during long years of efforts with it's own experienced group and sole facilities for improvement of productions and promotion of products quality, is now one of the largest suppliers of all kinds of metallic and plastic enclosures in different fields of electronic, electrical, communication, medical, industrial and research prtojects purposes.

In today's industrial world and with the rapid development of all industries, the need of these products is sensed more than ever. Therefore by offering the best quality and service, we try to meet these needs and help you to reach your ideals.

## Factory and showroom



## Certificate



## Packaging & Shipping



**Kontaktinformation:**



Name

**Carina**



QQ

**2819022460**



Tel

**81-755-83222882  
+86 18819070232**



Add

**16-6Floor, 505Building ,Shangbu Industry  
Area, Hangtian RD, Futian District ,Shenzhen  
China**



Email

**carina@szomk.net**



Skype

**szomk1010**



WhatsApp

**18819070232**

