Application Area:

IOT Device, Sensor, Controller, Network Device, Measuring Equipment, Data Transmitter/ Receiver, Wifi Access Point, Industrial Interconnection, Home automation, Environmental Monitoring, Telemetry and Remote Control, Digital Communication, Rail Transit, Instrumentation, such as Lighting Automation Control, Wireless Data Acquisition and Monitoring of Sensors, Oil field, Electric Power, Mining and Logistics Management etc.

Our advantages:

*** Leading Manufacturer, Direct Factory in Dongguan and Zhejiang**

*** Competitive Price**

*** Enclosure Designing, Private Mold Making**

*** Timely Pre-sale Service and After-sale Service**

*** One-stop Enclosure Supplier, Provide OEM/ODM Service**

*** Sales Person Good at English, Reduce Communication Cost**

*** Professional Engineer Team on Enclosure Designing, Moulding, Production and Professional Sales Teams**

*** Strict Control On Incoming Material Inspection, Injection Goods Inspection, Product Quality Inspection Before Packaging**

*** Provide Thousands of Public Enclosures, Including Plastic Box, Aluminum Extruded Box, Metal Sheet Enclosure, Iron Box, Die Cast or Amplifier Aluminum Box, Tool Case, Electronics Components etc.**

*** Customized Services: Change Product Material/Color--Cutout--Silkscreen/Pad/UV Printing--Laser Engraving--Sticker--Membrane Keyboard--Acrylic Plate--RFI/EMI Shielding Coating--Oil Spray--Hot Melt Treatment--Electroplating--Custom PC Plate--Plastic/ Aluminum CNC, Ultrasonic Welding--3D Printing (RDM/SLA/SLS,FSM)--Vacuum Casting,--Sheet Metal Bending etc.**

*** Help To Find Electronics Accessories and Components Customers Need**

SZOMK

Enclosure Manufacturer

www.chinaenclosure.com

SZOMK



AK-01-62 335*235*96mm 790g

SZOMK

AK-01-62 335*235*96mm 790g

SZOMK

AK-01-62 335*235*96mm 790g

SZOMK

AK-01-62 335*235*96mm 790g

SZOMK

AK-01-62 335*235*96mm 790g

IP65 Waterproof Enclosure Size List

M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)
AK-B-1	200×120×72	AK-B-33-1	265×140×105	AK-01-55	250˚160˚60 with ears	AK-B-K24-2	230×150×85
AK-B-2	158×90×60	AK-B-33-2	265×140×70	AK-01-55-1	250˚160˚100 with ears	AK-B-K24-3	230×150×61
AK-B-2B	158×90×60	AK-B-34-1	265×140×90	AK-01-56	250˚200˚60 with ears	AK-B-K25-1	230×150×110 with small ears
AK-B-F2-2	158×90×75	AK-B-34-2	265×140×55	AK-01-56-1	250˚200˚100 with ears	AK-B-K25-2	230×150×85 with small ears
AK-B-3	115×90×55	AK-B-35-1	230×120×95	AK-01-57	330˚300˚90 with ears	AK-B-K25-3	230×150×61 with small ears
AK-B-4	100×68×50	AK-B-35-2	230×120×60	AK-01-57-1	330˚300˚150 with ears	AK-B-K26-1	160×90×80
AK-B-5	160×160×90	AK-B-36-1	230×120×80	AK-02-19-JK	280x190x130 Hinged	AK-B-K26-2	160×90×60
AK-B-6	263×185×95	AK-B-36-2	230×120×45	AK-02-20-JK	380x280x130 Hinged	AK-B-K26-3	160×90×40
AK-B-7	197×92×46 with ears	AK-B-37-1	192×100×62 with ears	AK-02-21-JK	380x280x180 Hinged	AK-B-K27-1	160×90×80 with small ears
AK-B-8	158×90×39	AK-B-37-2	192×100×45 with ears	AK-02-22T-JK	380x190x130 Hinged	AK-B-K27-2	160×90×60 with small ears
AK-B-9	162×81×65 with ears	AK-B-38	240×160×90	AK-02-23-JK	380x190x180 Hinged	AK-B-K27-3	160×90×40 with small ears
AK-B-10	158×90×46	AK-B-39	240×120×63 with ears	AK-02-24-JK	280x280x130 Hinged	AK-B-K28-1	340×270×100
AK-B-11	240×120×75 with ears	AK-B-50B	480×370×200 Hinged	AK-02-25-JK	280x280x180 Hinged	AK-B-K28-2	340×270× 60
AK-B-12	195×90×60 with ears	AK-B-51	390×290×165 Hinged	AK-02-27T-JK	280x190x180 Hinged	AK-B-K29-1	340×270×120
AK-B-13	115×129×68 with ears	AK-B-51B	390×290×165 Hinged	AK-02-31-JK	190x190x130 Hinged	AK-B-K29-2	340×270× 80
AK-B-14	138×68×50 with ears	AK-B-52	290×190×140 Hinged	AK-02-34-JK	560x380x185 Hinged	AK-B-K30-1	300×230×92
AK-B-15	230×150×85	AK-B-52B	290×190×140 Hinged	AK-02-35-JK	560x380x265 Hinged	AK-B-K30-2	300×230×50
AK-B-16	160×110×90	AK-B-52C	290×190×140 Hinged	AK-B-K1	290×200×130	AK-B-K31-1	300×230×110
AK-B-17	320×240×110	AK-B-53	340×240×155 Hinged	AK-B-K2	250×170×120	AK-B-K31-2	300×230× 68
AK-B-18	120×120×90	AK-B-53B	340×240×155 Hinged	AK-B-K3	210×120×110	AK-B-K32-1	270×200×92
AK-B-19	89×58×35 with ears	AK-B-54	240×170×110 Hinged	AK-B-K4	160×100×56 with small ears	AK-B-K32-2	270×200× 50
AK-B-20	64×58×35	AK-B-54B	240×170×110 Hinged	AK-B-K5	133×80×90	AK-B-K33-1	270×200×110
AK-B-21	84×59×33 with ears	AK-01-29	135×85×72 Hinged	AK-B-K6	100×70×38 with small ears	AK-B-K33-2	270×200× 68
AK-B-22	263×185×70	AK-01-30	220x150x105 Hinged	AK-B-K11	300×270×110 with small ears	AK-B-K34-1	240×175×89
AK-B-23	200×120×60	AK-01-31	285x189x140 Hinged	AK-B-K12	230×255×100 with small ears	AK-B-K34-2	240×175× 50
AK-B-24	230×190×70 with ears	AK-01-32	165x158x121 Hinged	AK-B-K13	215×185×85 with small ears	AK-B-K35-1	240×175×107
AK-B-25	200×163×90 with ears	AK-01-33	222x185x106 Hinged	AK-B-K14	180×150×70 with small ears	AK-B-K35-2	240×175×68
AK-B-26	380×260×120	AK-01-34	295x255x102 Hinged	AK-B-K15	145×120×60 with small ears	AK-B-K36-1	210×155×105
AK-B-27-1	355×185×133	AK-01-35	160x140x84 Hinged	AK-B-K16	125×100×52 with small ears	AK-B-K36-2	210×155×63
AK-B-27-2	355×185×97	AK-01-36	175x125x85 Hinged	AK-B-K18	235×165×45	AK-B-K37-1	210×155×87
AK-B-28-1	355×185×113	AK-01-37	200x150x100 Hinged	AK-B-K19	200×140×41	AK-B-K37-2	210×155×45
AK-B-28-2	355×185×77	AK-01-38	251x170x101 Hinged	AK-B-K20	170×120×21	AK-B-K38-1	180×130×82
AK-B-29-1	325×170×103	AK-01-46	285x185x180 Hinged	AK-B-K21	145×102×31	AK-B-K38-2	180×130× 45
AK-B-29-2	325×170×60	AK-01-47	285x285x155 Hinged	AK-B-K22-1	200×120×90	AK-B-K39-1	180×130×100
AK-B-30-1	325×170×123	AK-01-48	335x235x150 Hinged	AK-B-K22-2	200×120×72	AK-B-K39-2	180×130×63
AK-B-30-2	325×170×78	AK-01-49	460x350x165 Hinged	AK-B-K22-3	200×120×53	AK-B-K40-1	140×105×82
AK-B-31-1	295×155×96	AK-01-52	150˚120˚60 with ears	AK-B-K23-1	200×120×90 with small ears	AK-B-K40-2	140×105× 45
AK-B-31-2	295×155×55	AK-01-53	180˚150˚60 with ears	AK-B-K23-2	200×120×72 with small ears	AK-B-K41-1	140×105×100
AK-B-32-1	295×155×112	AK-01-54	205˚177˚60 with ears	AK-B-K23-3	200×120×53 with small ears	AK-B-K41-2	140×105× 63
AK-B-32-2	295×155×72	AK-01-54-1	205˚177˚100 with ears	AK-B-K24-1	230×150×110		

IP65 Waterproof Enclosure Size List (Transparent Cover)

M.N.	Size(mm)	M.N.	Size(mm)
AK-B-FT1	200×120×72	AK-B-FT13	115×129×68 with ears
AK-B-FT2	158×90×60	AK-B-FT14	138×68×50 with ears
AK-B-FT3	115×90×55	AK-B-FT15	230×150×85
AK-B-FT4	100×68×50	AK-B-FT16	160×110×90
AK-B-FT5	160×160×90	AK-B-FT17	320×240×110
AK-B-FT6	263×185×95	AK-B-FT18	120×120×90
AK-B-FT9	162×81×65 with ears	AK-B-FT21	84×59×33 with small ears
AK-B-FT11	240×120×75 with ears	AK-B-FT23	200×120×60
AK-B-FT12	195×90×60 with ears	AK-B-FT25	200×163×90 with ears

IP66 Waterproof Enclosure Size List (Hinged)

M.N.	Size(mm)	M.N.	Size(mm)
AK-01-58	131˚82˚45	AK-01-65	220˚170˚110 translucent cover
AK-01-59	155˚105˚65	AK-01-66	200˚100˚70 translucent cover
AK-01-60	234˚180˚74	AK-01-67	150˚150˚90 translucent cover
AK-01-61	178˚128˚65	AK-01-68	220˚160˚72 translucent cover
AK-01-62	290˚225˚84	AK-01-69	190˚140˚72 translucent cover
AK-01-63	340˚240˚155 translucent cover	AK-01-70	170˚120˚72 translucent cover
AK-01-64	300˚200˚170 translucent cover	AK-01-71	150˚100˚72 translucent cover

IP65 Waterproof Enclosure Size List (Beige)

M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)
AK-B-40-1	100x60x40 has ears	AK-B-42-3	110x110x60 has ears	AK-B-40-2	100x60x40	AK-B-42-4	110x110x60
AK-B-40-3	100x60x60 has ears	AK-B-43-1	140x100x40 has ears	AK-B-40-4	100x60x60	AK-B-43-2	140x100x40
AK-B-41-1	110x85x40 has ears	AK-B-43-3	140x100x60 has ears	AK-B-41-2	110x85x40	AK-B-43-4	140x100x60
AK-B-41-3	110x85x60 has ears	AK-B-44-1	160x110x40 has ears	AK-B-41-4	110x85x60	AK-B-44-2	160x110x40
AK-B-42-1	110x110x40 has ears	AK-B-44-3	160x110x60 has ears	AK-B-42-2	110x110x40	AK-B-44-4	160x110x60

IP66 Waterproof Enclosure Size List (Light Grey)

M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)
AK-AG-1	65˚50˚55	AK-AG-11	130˚80˚85	AK-AG-21	175˚125˚75	AK-AG-31	200˚200˚95
AK-AG-2	65˚50˚55	AK-AG-12	180˚80˚70	AK-AG-22	175˚125˚100	AK-AG-32	200˚200˚100
AK-AG-3	95˚65˚55	AK-AG-13	180˚80˚70	AK-AG-23	175˚125˚100	AK-AG-33	250˚150˚100
AK-AG-4	130˚80˚70	AK-AG-14	250˚80˚70	AK-AG-24	200˚150˚75	AK-AG-34	200˚200˚130
AK-AG-5	110˚80˚70	AK-AG-15	250˚80˚70	AK-AG-25	170˚140˚95	AK-AG-35	280˚190˚130
AK-AG-6	130˚80˚85	AK-AG-16	250˚80˚85	AK-AG-26	200˚150˚100	AK-AG-36	250˚150˚130
AK-AG-7	110˚80˚85	AK-AG-17	250˚80˚85	AK-AG-27	200˚150˚100		
AK-AG-8	100˚100˚75	AK-AG-18	110˚80˚45	AK-AG-28	200˚150˚130		
AK-AG-9	130˚80˚85	AK-AG-19	125˚125˚75	AK-AG-29	175˚175˚100		
AK-AG-10	110˚80˚85	AK-AG-20	125˚125˚100	AK-AG-30	175˚175˚100		

IP65 Waterproof Enclosure Size List (Cable Entry)

M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)
AK-AG-37	50˚50 (IP55)	AK-AG-41	100˚100˚70	AK-AG-45	200˚155˚80	AK-AG-49	400˚350˚120
AK-AG-38	80˚50 (IP55)	AK-AG-42	150˚110˚70	AK-AG-46	200˚200˚80		
AK-AG-39	80˚80˚50 (IP55)	AK-AG-43	150˚150˚70	AK-AG-47	255˚200˚80		
AK-AG-40	85˚85˚50 (IP55)	AK-AG-44	200˚100˚70	AK-AG-48	300˚250˚120		

IP67 Waterproof Enclosure Size List (Blue Series, Can Assemble With Wall Mounts Plastic Parts)

M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)
AK-AG-50	120˚120˚55	AK-AG-57	85˚60˚35	AK-AG-64	230˚150˚85	AK-AG-71	230˚150˚60
AK-AG-51	160˚160˚65	AK-AG-58	265˚185˚60	AK-AG-65	158˚90˚45	AK-AG-72	119˚67˚32
AK-AG-52	115˚90˚55	AK-AG-59	200˚120˚55	AK-AG-66	160˚110˚65	AK-AG-73	290˚210˚60
AK-AG-53	115˚90˚35	AK-AG-60	200˚150˚55	AK-AG-67	158˚90˚60	AK-AG-74	290˚210˚95
AK-AG-54	85˚85˚40	AK-AG-61	200˚150˚80	AK-AG-68	265˚185˚95		
AK-AG-55	100˚68˚50	AK-AG-62	160˚110˚50	AK-AG-69	200˚200˚100		
AK-AG-56	100˚68˚40	AK-AG-63	200˚120˚75	AK-AG-70	200˚200˚70		

IP67 Waterproof Enclosure Size List (Black)

M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)
AK-BS-1	63˚58˚35	AK-BS-2-2	115˚90˚55	AK-BS-4	200˚120˚75	AK-BS-20	115˚90˚55
AK-BS-1-2	83˚81˚56	AK-BS-3	158˚90˚60	AK-BS-6	290˚210˚100	AK-BS-26	158˚90˚60
AK-BS-2	100˚68˚50	AK-BS-3-2	120˚120˚90	AK-BS-14	100˚68˚50	AK-BS-36	200˚120˚75

IP67 Pole Mounting Waterproof Enclosure (White/ Dark Grey Series)

M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)
AK-WP-9133	25˚130˚90 (ABS)	AK-WP-11154	40˚150˚110 (ASA)	AK-WP-13185	45˚175˚130 (ABS)	AK-WP-15216	55˚210˚150 (ASA)
AK-WP-9133	25˚130˚90 (ASA)	AK-WP-13183	30˚175˚130 (ABS)	AK-WP-13185	45˚175˚130 (ASA)		
AK-WP-11154	40˚150˚110 (ABS)	AK-WP-13183	30˚175˚130 (ASA)	AK-WP-15216	55˚210˚150 (ABS)		

IP68 Waterproof Enclosure Size List (Black, Wall Mountable)

M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)	M.N.	Size(mm)
AK-BW-01	70˚40˚40	AK-BW-03	120˚70˚48	AK-BW-05	64˚64˚46	AK-BW-07	114˚114˚62
AK-BW-02	90˚50˚42	AK-BW-04	140˚85˚56	AK-BW-06	94˚94˚56	AK-BW-08	134˚134˚66
AK-BW-09	174˚174˚73						