

221X168X64mm abs

SZOMK

Customizable  
Cutout, sticker



Weight: 504g

Size: 221\*168\*64 mm

Model No. AK-H-82

8.70\*6.61\*2.51 inch

SZOMK

Customizable  
Cutout, sticker



Weight: 504g

Size: 221\*168\*64 mm

Model No. AK-H-82

8.70\*6.61\*2.51 inch

SZOMK

Customizable  
Cutout, sticker



Weight: 504g

Size: 221\*168\*64 mm

Model No. AK-H-82

8.70\*6.61\*2.51 inch

# SZOMK

Customizable  
Cutout, sticker



Weight: 504g

Size: 221\*168\*64 mm

Model No. AK-H-82

8.70\*6.61\*2.51 inch

□□	□□ □□ □□□□ □□ □□□ □
□□ □□.	AK-H-82
□□	221X168X64mm
□□	□□ □ □□□ □□□ & □□ □□ □□
□□	504g

□□□ □□□ □□□□ □□ □□□□□□ :



1. Drilling.punching, 鋼. 鋼鋼 鋼 鋼鋼.

2. 鋼鋼, 鋼 鋼鋼 鋼, 鋼鋼 鋼, 鋼鋼 鋼.

3. 鋼 鋼 鋼, 鋼鋼鋼鋼 鋼 鋼 3-5 鋼 (鋼鋼 鋼)

4. 鋼鋼 鋼鋼 鋼鋼 鋼鋼鋼鋼.

鋼 鋼 :



□□□ □□ □□, □□, □□□,  
 □□ □□ □□ □□, □□ □□□□, □□□□, □□ □□, □□□□ □ □□□, □□ □□, □□ □□ □ □□□□□□□, □□□□ □□.

**Abs** □□□□ □□ □□ :

- Polyb□ 1.Enclosure □□ □□.
- □□ □□ 2.Then.
- 3. □□ □□□□.

□□ □□ □□ □□□□ □□ :

□□ □□ □□ □□□ □	1-3 □ □
□□ □□□ ...□□ □□	3-10 □ □
□□ □□□ □□ □ □□	10-30 □ □

□:

□□□ □□ □ eletrical □□ □□□ □□ □□ hesitate□□ □□□□. □□□ □□□ 24 □□ □□□ □□□ □ □□□□!