

00 000 00 00 00 00 0000 00 00 0000 0000 00 00

0000 :



00 00:


ENCLOSURE 0 0 0000 00000.	
00	0000 00 00 0000
00 00.	AK-H-26

尺寸	160X60X26.5mm / 6.30 * 2.36 * 1.04 英寸
重量	71g
材料	ABS / PLA / PETG 打印材料
打印时间	约 10 / 15 / 20 分钟 (取决于打印速度)
打印温度	ABS 230°C
打印速度	50 mm/s / 100 mm/s / 150 mm/s / 200 mm/s / 250 mm/s / 300 mm/s
文件格式	PDF / CAD / 3D
其他	支持 DIY customized 打印服务。

[3D打印服务](#)

1. 打印材料, 打印温度, 打印速度.
2. 打印速度, 打印温度, 打印材料, 打印时间, 打印重量, 打印尺寸, 打印精度.
3. 打印材料, 打印温度, 打印速度, 打印时间, 打印重量, 打印尺寸, 打印精度.

打印时间:



□□□□ □□ □□ □ □□□ □□?□□□ □□-□□-□□□□



R&D
CUSTOMIZE



Advanced
TECHNOLOGY



Strictly
QUALITY CONTROL



Excellent
SERVICE TEAM



✓ **Certificated iso,quality assurance**
Certificated FCC &CE

Small order	It's no problem MOQ=1
QTY order	High quality short delivery time
Urgent order	Urgent order no problem how many pcs finished we will sending to you at once

□□□□&□□□□ver□ □□□□□ □□ □□□□□□□□

□□:

1) □□ □□□ □□ □□ □□

2) □□ □□ □□

3) □□ □□

□□:

□□ □□□	1-3 □
□□□□□ □□□ □□	3-10 □
□□□ □□□ □□□ □□	10 ~ 20 □ □□□

□□ □□□□ □s : E□□□ □□tomer □□□ □□□ □□□ □□ □□ □□□□ □□□□□□.