


Specifications

High resolution ultra-thin organic printed electronic display
with active matrix

| | |
|-----------------------|--|
| Model No. | AM-S-122 |
| Weight | 105g |
| Size | 4.32" x 3.21" inch (107.92 mm x 82.04 mm) |
| Resolution | 800 x 480 |
| Viewing angle | 170° |
| Response time | 16ms |
| Power consumption | 0.1W |
| Operating temperature | -20°C to 70°C |
| Storage temperature | -30°C to 80°C |
| Humidity | 20% to 90% |
| Material | PC, PET, PMMA, etc. |
| Color | White, Black, Yellow, Green, Red, Blue, etc. |
| Surface treatment | Anti-glare, Anti-fingerprint, etc. |
| Mounting | Surface mount, Through-hole mount, etc. |
| Lead time | 1-2 weeks |
| Warranty | 1 year |

1. The product is not a standard off-the-shelf product. It is a custom-made product. The customer should provide the detailed requirements and specifications in advance.
2. The product is not a standard off-the-shelf product. It is a custom-made product. The customer should provide the detailed requirements and specifications in advance.
3. The product is not a standard off-the-shelf product. It is a custom-made product. The customer should provide the detailed requirements and specifications in advance.



We mainly manufacture

change the color

We mainly produce

PVC label
Acrylic plate
Silicon



Bedankt voor je tijd.
 Uw aanwezigheid wordt binnen 24 uur beantwoord. :)

