ABS waterproof IP54 plastic enclosure electronic PCB junction box for GPS AK-H-74 56\*39\*12mm

#### **Product Show**





Weight: 8g Size: 2.20\*1.53\*0.47 inch

Model No.AK-H-74 56\*39\*12 mm











# **Product Specifications:**

<b>ENCLOSURE PROV</b>	/IDE ONE-STOP SERVICES
Туре	Hand held plastic enclosure
Model No.	AK-H-74
Sise	56*39*12mm
Weight	8g
Body Color	black color and can be customized
Side Color	Orange/Green/red/yellow/green color and can be customized
Material	ABS Plastic

Customized Service	cut-out/silkscreen/laser engraving/sticker/Tapping/Laser cutting and	
	so on	
Drawing	PDF/CAD/3D	
Advantage	can do small order DIY custemized	

Advantages for waterproof plastic handheld enclosure

- 1. Has a strong resistance to abrasion, weathering, corrosion.
- 2. Can be formed on the surface of a variety of colors, to maximize fit your requirements.
- 3. Have a strong hardness, can be wellprotected your electronics.

What we can do for you? About.....



1.We provide thousands of public enclosure and wehave some goods in our stock.

MOQ:1 pcs

- 2.We can do DIY small order customcervice----MOQ:20-50 pcs
- 3.We can design private custom enclosures(if youprovide PCB)
- 4.To private mold customization (Providesample or STEP file)
- 6.Customized service: cutout/mold/Acrylicplate/PVC label/Silkscreen/laser engraving/sticker/silicone/change color and soon.

Who we are?



SHENZHENOMK ELECTRONICS CO.,LTD is now one of the largest suppliers of all kinds ofplastic and metallic enclosures in different fields of electronic, electrical,communication, medi-cal, industrial and research projects purposes, we havemore than 1000 moulds, and we can do cutout, silkscreen, lable, sticker, lasercarve and creat a new mould for you in today's industrial world and with therapid development of all indus-tres, the need of these products is sensed morethan ever, meet these needs and help you to reach your ideals.

#### **SZOMKADVANTAGE:**

SZOMK all ABS plasticenclosure Pass:UL94-HB Rating



#### Packing&delivery

### **Packing:**

- 1) enclosureindustrial packing by poly bag
- 2) then by export standard carton
- 3) ascustomer request

### **Delivery:**

Standard stock product	1-3 working days
<b>Custom product in stock</b>	3-10 working days

<b>Custom product out of</b>	10-20 working days
stock	

Remarks: Everycustomer situation is different, please contact our sales confirmation fordetails.

## $\boldsymbol{Contact\ information} \\ \square$

