Packaging & Delivery

Packaging Details: Carton and plastic foam and tape packaging-extruded aluminum box enclosure

diecast

Delivery Detail: 5-15 working days, different quantity different delivery time

Specifications

1.Type:electronic extruded aluminum control enclosure

2.Model No:AK-C-B69

3.Size:21(H)51(W)110(L)mm

4.MOQ:1 pc

Introduction of extruded aluminum box enclosure diecast

The extruded aluminum box enclosure diecast is used as an anode, placed in electrolyte, artificially formed the enclosure having a protective aluminum oxide film on the surface.

Extruded aluminum box enclosure diecast features

- 1. Has a strong resistance to abrasion, weathering, corrosion.
- 2. Can be formed on the surface of a variety of colors, to maximize fit your requirements.
- 3. Have a strong hardness, can be well protected your electronics.

Extruded aluminum enclosure

Туре	B-Normal series extruded aluminum enclosure
Brand	SZOMK
Material	aluminum
Model No.	AK-C-B69
Size46	21(H)*51(W)*110(mm)
Color	grey and different colors can be customized
Customized MOQ	1 pieces
Protect level	IP54
Lead time	7-15 days after get payment
Normal packing	Carton and plastic foam and tape packaging

Detail picture of extruded aluminum enclosure



Customizable Cutout,sticker Silkscreen,color



110mm

Weight: 61g

Size: 21*51*110mm

Model No. AK-C-B69



Customizable Cutout, sticker Silkscreen, color



Weight: 61g

Model No. AK-C-B69

Size: 21*51*110mm



Customizable Cutout, sticker Silkscreen, color





Weight: 61g

Model No. AK-C-B69

Size: 21*51*110mm




Customizable Cutout, sticker Silkscreen, color



Weight: 61g

Model No. AK-C-B69

Size: 21*51*110mm



Certifications





ANY QUESTIONS, PLEASE CONTACT US

