Packaging & Delivery

Packaging Details:	Carton and plastic foam and tape packaging-extruded aluminum box enclosure diecast
Delivery Detail:	5-15 working days, different quantity different delivery time

Specifications

1.Type:electronic extruded aluminum control enclosure 2.Model No:AK-C-B44 3.Size:30(H)80(W)120(L)mm 4.MOQ:1 pc

Introduction of extruded aluminum box enclosure diecast

The extruded aluminum box enclosure diecast is used as an anode, placed in electrolyte, artificially formed the enclosure having a protective aluminum oxide film on the surface.

Extruded aluminum box enclosure diecast features

1. Has a strong resistance to abrasion, weathering, corrosion.

2. Can be formed on the surface of a variety of colors, to maximize fit your requirements.

3. Have a strong hardness, can be well protected your electronics.


Extruded aluminum enclosure

Туре	B-Normal series extruded aluminum enclosure
Brand	SZOMK
Material	aluminum
Model No.	AK-C-B44
Size	30(H)*80(W)*120(mm)
Color	silvery and different colors can be customized
Customized MOQ	1 pieces
Protect level	IP54
Lead time	7-15 days after get payment
Normal packing	Carton and plastic foam and tape packaging

Detail picture of extruded aluminum enclosure



Weight: 150g Size: 1.18*3.15*4.72 inch Model No.AK-C-B44 30*80*120 mm



Certifications



Certificated iso,quality assurance Certificated FCC &CE

ANY QUESTIONS, PLEASE CONTACT US

