Specifications

- 1. Type: aluminum extrution enclosure
- 2.Model No. AK-C-B13
- 3.Size:33x70xfree(mm) 1.30"x2.76"xfree
- 4.MOO:20pcs

Introduction of aluminum extrution enclosure:

The aluminum extrution enclosure is used as an anode, placed in electrolyte, artificially formed the enclosure having a protective aluminum oxide film on the surface.

aluminum extrution enclosure material features:

- 1. Has a strong resistance to abrasion, weathering, corrosion.
- 2. Can be formed on the surface of a variety of colors, to maximize fit your requirements.
- 3. Have a strong hardness, can be well protected your electronics.

aluminum extrution enclosure

Type aluminum extrution enclosure

Brand SZOMK
Material aluminum
Model No. AK-C-B13


Size 33x70xfree(mm) 1.30"x2.76"xfree

Color silver
Customize MOQ 20 pieces
Protect level IP54

Lead time 5-15 days after get payment

Normal packing Carton


Potail pictures of aluminum extrution enclosure








Customizable Cutout, sticker Silkscreen, color



Weight:145 g Size:1.30*2.76*3.94 inch Model No. AK-C-B13 33*70*100 mm



Wall-mounting series Size List:HxWxfree(mm) Length can be random Size List:HxWxfree(mm) Length can be random Seperated style series Size List:HxWxfree(mm) Silkscreen We can do

customize

Silicone Seals

Metal shell packaging

Plastic box packaging

Cutout

SZOMK

Our packaging

Plastic foam packaging





ric@szomk.net



szomk-008



86-755-83222882 +86-17097220635



628Room,505 Building ,Shangbu industry, Hangtian road ,Futian district ,Shenzhen, China,518031



2038015319