

Application Area:

IOT Device, Sensor, Controller, Network Device, Measuring Equipment, Data Transmitter/Receiver, Wifi Access Point, Industrial Interconnection, Home automation, Environmental Monitoring, Telemetry and Remote Control, Digital Communication, Rail Transit, Instrumentation, such as Lighting Automation Control, Wireless Data Acquisition and Monitoring of Sensors, Oil field, Electric Power, Mining and Logistics Management etc.

Our advantages:


- * Leading Manufacturer, Direct Factory in Dongguan and Zhejiang**
- * Competitive Price**
- * Enclosure Designing, Private Mold Making**
- * Timely Pre-sale Service and After-sale Service**
- * One-stop Enclosure Supplier, Provide OEM/ODM Service**
- * Sales Person Good at English, Reduce Communication Cost**
- * Professional Engineer Team on Enclosure Designing, Moulding, Production and Professional Sales Teams**
- * Strict Control On Incoming Material Inspection, Injection Goods Inspection, Product Quality Inspection Before Packaging**
- * Provide Thousands of Public Enclosures, Including Plastic Box, Aluminum Extruded Box, Metal Sheet Enclosure, Iron Box, Die Cast or Amplifier Aluminum Box, Tool Case, Electronics Components etc.**
- * Customized Services: Change Product Material/Color--Cutout--Silkscreen/Pad/UV Printing--Laser Engraving--Sticker--Membrane Keyboard--Acrylic Plate--RFI/EMI Shielding Coating--Oil Spray--Hot Melt Treatment--Electroplating--Custom PC Plate--Plastic/Aluminum CNC, Ultrasonic Welding--3D Printing (RDM/SLA/SLS,FSM)--Vacuum Casting,--Sheet Metal Bending etc.**
- * Help To Find Electronics Accessories and Components Customers Need**

SZOMK



► **Enclosure Manufacturer**
www.chinaenclosure.com

SZOMK



AK-01-62 335*235*96mm 790g

SZOMK



AK-01-62 335*235*96mm 790g

SZOMK



AK-01-62 335*235*96mm 790g

SZOMK



AK-01-62 335*235*96mm 790g

SZOMK



AK-01-62 335*235*96mm 790g

IP65 Waterproof Enclosure Size List							
M.N.	Size(mm)		M.N.	Size(mm)		M.N.	Size(mm)
AK-B-1	200×120×72		AK-B-33-1	265×140×105		AK-01-55	250'160'90
AK-B-2	158×90×60		AK-B-33-2	265×140×70		AK-01-55-1	250'160'100
AK-B-2B	158×90×60		AK-B-34-1	265×140×90		AK-01-56	250'200'60
AK-B-F2-2	158×90×60		AK-B-34-2	265×140×55		AK-01-56-1	250'200'100
AK-B-3	115×90×55		AK-B-35-1	230×120×95		AK-01-57	330'300'90
AK-B-4	100×68×50		AK-B-35-2	230×120×60		AK-01-57-1	330'300'150
AK-B-5	160×160×90		AK-B-36-1	230×120×80		AK-02-19-JK	280×190×130
AK-B-6	263×185×95		AK-B-36-2	230×120×45		AK-02-20-JK	380×280×130
AK-B-7	197×92×46	with ears	AK-B-37-1	192×100×62	with ears	AK-02-21-JK	380×280×180
AK-B-8	158×90×39		AK-B-37-2	192×100×45	with ears	AK-02-22T-JK	380×190×130
AK-B-9	162×81×65	with ears	AK-B-38	240×160×90		AK-02-23-JK	380×190×180
AK-B-10	158×90×46		AK-B-39	240×120×63	with ears	AK-02-24-JK	280×280×130
AK-B-11	240×120×75	with ears	AK-B-50B	480×370×200	Hinged	AK-02-25-JK	280×280×180
AK-B-12	195×90×60	with ears	AK-B-51	390×290×165	Hinged	AK-02-27T-JK	280×190×180
AK-B-13	115×129×68	with ears	AK-B-51B	390×290×165	Hinged	AK-02-31-JK	190×190×130
AK-B-14	138×68×50	with ears	AK-B-52	290×190×140	Hinged	AK-02-34-JK	560×380×185
AK-B-15	230×150×85		AK-B-52B	290×190×140	Hinged	AK-02-35-JK	560×380×265
AK-B-16	160×110×90		AK-B-52C	290×190×140	Hinged	AK-B-K1	290×200×130
AK-B-17	320×240×110		AK-B-53	340×240×155	Hinged	AK-B-K2	250×170×120
AK-B-18	120×120×90		AK-B-53B	340×240×155	Hinged	AK-B-K3	210×120×110
AK-B-19	89×58×35	with ears	AK-B-54	240×170×110	Hinged	AK-B-K4	160×100×56
AK-B-20	64×58×35		AK-B-54B	240×170×110	Hinged	AK-B-K5	133×80×90
AK-B-21	84×59×33	with ears	AK-01-29	135×85×72	Hinged	AK-B-K6	100×70×38
AK-B-22	263×185×70		AK-01-30	220×150×105	Hinged	AK-B-K11	300×270×110
AK-B-23	200×120×60		AK-01-31	285×189×140	Hinged	AK-B-K12	230×255×100
AK-B-24	230×150×70	with ears	AK-01-32	165×158×121	Hinged	AK-B-K13	215×185×85
AK-B-25	200×163×90	with ears	AK-01-33	222×185×106	Hinged	AK-B-K14	180×150×70
AK-B-26	380×260×120		AK-01-34	295×255×102	Hinged	AK-B-K15	145×120×60
AK-B-27-1	355×185×133		AK-01-35	160×140×84	Hinged	AK-B-K16	125×100×62
AK-B-27-2	355×185×97		AK-01-36	175×125×85	Hinged	AK-B-K18	235×165×45
AK-B-28-1	355×185×113		AK-01-37	200×150×100	Hinged	AK-B-K19	200×140×41
AK-B-28-2	355×185×77		AK-01-38	251×170×101	Hinged	AK-B-K20	170×120×21
AK-B-29-1	325×170×103		AK-01-46	285×185×180	Hinged	AK-B-K21	145×102×31
AK-B-29-2	325×170×60		AK-01-47	285×285×155	Hinged	AK-B-K22-1	200×120×90
AK-B-30-1	325×170×123		AK-01-48	335×235×150	Hinged	AK-B-K22-2	200×120×72
AK-B-30-2	325×170×78		AK-01-49	460×350×165	Hinged	AK-B-K22-3	200×120×63
AK-B-31-1	295×155×96		AK-01-52	150'120'50	with ears	AK-B-K23-1	200×120×90
AK-B-31-2	295×155×55		AK-01-53	180'150'60	with ears	AK-B-K23-2	200×120×72
AK-B-32-1	295×155×112		AK-01-54	205'177'60	with ears	AK-B-K23-3	200×120×63
AK-B-32-2	295×155×72		AK-01-54-1	205'177'100	with ears	AK-B-K24-1	230×150×110
IP65 Waterproof Enclosure Size List (Transparent Cover)							
M.N.	Size(mm)				M.N.	Size(mm)	
AK-B-FT1	200×120×72				AK-B-FT13	115×129×68	with ears
AK-B-FT2	158×90×60				AK-B-FT14	138×68×50	with ears
AK-B-FT3	115×90×55				AK-B-FT15	230×150×85	
AK-B-FT4	100×68×50				AK-B-FT16	160×110×90	
AK-B-FT5	160×160×90				AK-B-FT17	320×240×110	
AK-B-FT6	263×185×95				AK-B-FT18	120×120×90	
AK-B-FT9	162×81×65			with ears	AK-B-FT21	84×59×33	with small ears
AK-B-FT11	240×120×75			with ears	AK-B-FT23	200×120×60	
AK-B-FT12	195×90×60			with ears	AK-B-FT25	200×163×90	with ears
IP66 Waterproof Enclosure Size List (Hinged)							
M.N.	Size(mm)				M.N.	Size(mm)	
AK-01-58	131'82'45				AK-01-65	220'170'110	translucent cover
AK-01-59	165'105'65				AK-01-66	200'100'70	translucent cover
AK-01-60	234'180'74				AK-01-67	150'150'90	translucent cover
AK-01-61	178'128'85				AK-01-68	220'160'72	translucent cover
AK-01-62	290'225'84				AK-01-69	190'140'72	translucent cover
AK-01-63	340'240'155		translucent cover		AK-01-70	170'120'72	translucent cover
AK-01-64	300'200'170		translucent cover		AK-01-71	150'100'72	translucent cover
IP65 Waterproof Enclosure Size List (Beige)							
M.N.	Size(mm)		M.N.	Size(mm)		M.N.	Size(mm)
AK-B-40-1	100×60×40	has ears	AK-B-42-3	110×110×60	has ears	AK-B-40-2	100×60×40
AK-B-40-3	100×60×60	has ears	AK-B-43-1	140×100×40	has ears	AK-B-40-4	100×60×60
AK-B-41-1	110×85×40	has ears	AK-B-43-3	140×100×60	has ears	AK-B-41-2	110×85×40
AK-B-41-3	110×85×60	has ears	AK-B-44-1	160×110×40	has ears	AK-B-41-4	110×85×60
AK-B-42-1	110×110×40	has ears	AK-B-44-3	160×110×60	has ears	AK-B-42-2	110×110×40
AK-B-42-4						AK-B-44-4	160×110×60
IP66 Waterproof Enclosure Size List (Light Grey)							
M.N.	Size(mm)		M.N.	Size(mm)		M.N.	Size(mm)
AK-AG-1	65'50'55		AK-AG-11	130'80'85		AK-AG-21	175'125'75
AK-AG-2	65'50'55		AK-AG-12	180'80'70		AK-AG-22	175'125'100
AK-AG-3	95'65'55		AK-AG-13	180'80'70		AK-AG-23	175'125'100
AK-AG-4	130'80'70		AK-AG-14	250'80'70		AK-AG-24	200'150'75
AK-AG-5	110'80'70		AK-AG-15	250'80'70		AK-AG-25	170'140'85
AK-AG-6	130'80'85		AK-AG-16	250'80'85		AK-AG-26	200'150'100
AK-AG-7	110'80'85		AK-AG-17	250'80'85		AK-AG-27	200'150'100
AK-AG-8	100'100'75		AK-AG-18	110'80'45		AK-AG-28	200'150'130
AK-AG-9	130'80'85		AK-AG-19	125'125'75		AK-AG-29	175'175'100
AK-AG-10	110'80'85		AK-AG-20	125'125'100		AK-AG-30	175'175'100
IP65 Waterproof Enclosure Size List (Cable Entry)							
M.N.	Size(mm)		M.N.	Size(mm)		M.N.	Size(mm)
AK-AG-37	50'50	(IP55)	AK-AG-41	100'100'70		AK-AG-45	200'155'90
AK-AG-38	80'50	(IP55)	AK-AG-42	150'110'70		AK-AG-46	200'200'80
AK-AG-39	80'80'50	(IP55)	AK-AG-43	150'150'70		AK-AG-47	255'200'80
AK-AG-40	85'85'50	(IP55)	AK-AG-44	200'100'70		AK-AG-48	300'250'120
IP67 Waterproof Enclosure Size List (Blue Series, Can Assemble With Wall Mounts Plastic Parts)							
M.N.	Size(mm)		M.N.	Size(mm)		M.N.	Size(mm)
AK-AG-50	120'120'55		AK-AG-57	85'60'35		AK-AG-64	230'150'85
AK-AG-51	160'160'65		AK-AG-58	265'185'60		AK-AG-65	158'90'45
AK-AG-52	115'90'55		AK-AG-59	200'120'55		AK-AG-66	160'110'65
AK-AG-53	115'90'35		AK-AG-60	200'150'55		AK-AG-67	158'90'60
AK-AG-54	85'85'40		AK-AG-61	200'150'80		AK-AG-68	265'185'95
AK-AG-55	100'68'50		AK-AG-62	160'110'50		AK-AG-69	200'200'100
AK-AG-56	100'68'40		AK-AG-63	200'120'75		AK-AG-70	200'200'70
IP67 Waterproof Enclosure Size List (Black)							
M.N.	Size(mm)		M.N.	Size(mm)		M.N.	Size(mm)
AK-B-S-1	63'58'35		AK-B-S-2-2	115'90'55		AK-B-S-4	200'120'75
AK-B-S-1-2	83'81'56		AK-B-S-3	158'90'60		AK-B-S-6	290'210'100
AK-B-S-2	100'68'50		AK-B-S-3-2	120'120'90		AK-B-S-14	100'68'50
IP67 Pole Mounting Waterproof Enclosure (White/ Dark Grey Series)							
M.N.	Size(mm)		M.N.	Size(mm)		M.N.	Size(mm)
AK-WP-9133	25'130'90	(ABS)	AK-WP-11154	40'150'110	(ASA)	AK-WP-13185	45'175'130
AK-WP-9133	25'130'90	(ASA)	AK-WP-13183	30'175'130	(ABS)	AK-WP-13185	45'175'130
AK-WP-11154	40'150'110	(ABS)	AK-WP-13183	30'175'130	(ASA)	AK-WP-15216	55'210'150
IP68 Waterproof Enclosure Size List (Black, Wall Mountable)							
M.N.	Size(mm)		M.N.	Size(mm)		M.N.	Size(mm)
AK-BW-01	70'40'40		AK-BW-03	120'70'48		AK-BW-05	64'64'46
AK-BW-02	90'50'42		AK-BW-04	140'85'56		AK-BW-06	94'94'56
AK-BW-09	174'174'73					AK-BW-07	114'114'62
						AK-BW-08	134'134'66