

SZOMK wireless smoker sensor plastic enclosure humidity and temprature sensor wireless gateway shell

place of origin	Guangdong
brand	SZOMK
material	abs plastic
color	black
size	65*40mm
certificate	ROHS
service	ACCEPT CUSTOM

PRODUCT DESCRIPTION:

SZOMK

65*40mm



39g

AK-NW-58

SZOMK

65*40mm



39g

AK-NW-58

SZOMK

65*40mm



39g

AK-NW-58

SZOMK

65*40mm



39g

AK-NW-58

SZOMK

65*40mm



39g

AK-NW-58

PACKING AND SHIPPING



SUZHOU LANGJI



SHIPMENT



PACKAGING



TRUCK LOADING



GOODS RECEIPT



CERTIFICATION:



Certificated iso,quality assurance
Certificated FCC &CE

Certificate

SGS

Test Report No. SHANC170664107 Date: 18 Apr 2017 Page 1 of 8

MAANGHAN IRON & STEEL CO., LTD.
NO.8 JIJIHUA WEST STREET, MAANGHAN CITY, ANHUI PROVINCE

The following sample(s) was/were submitted and identified on behalf of the client as: cold rolled sheet

SGS Job No.: SP17-011338 - SH
Date of Sample Received: 06 Apr 2017
Testing Period: 06 Apr 2017 - 10 Apr 2017
Test Requested: Selected item(s) as requested by client
Test Method: Please refer to next page(s)
Test Results: Please refer to next page(s)
Conclusion: Based on the performed tests on submitted sample(s), the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polychlorinated biphenyls (PCBs), Polychlorinated diphenyl ethers (PCDEs) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Signed for and on behalf of
SGS-CTC Standards Technical Services (Shanghai) Co., Ltd.

Mary Ma
Mary Ma
Approval Signature

 

SGS

Test Report No. CANC172118801 Date: 01 Nov 2017 Page 2 of 8

Test Results:

Test Part Description:

Specimen No.: SGS Sample ID: Description
S/N1: CAN17-21188-001: Sheny metal

Remarks:

(1) 1 mg/kg + 1 ppm + 0.001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) * = Not Regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method: With reference to IEC 62321-4:2013+A1:2017, IEC 62321-5:2015, IEC 62321-7:1-2016 and IEC 62321-6:2015, analysed by ICP-OES, UHPLC and GC-MS.

Test Item(s)	Limit	Unit	MDL	Det
Cadmium (Cd)	100	mg/kg	3	ND
Lead (Pb)	1,000	mg/kg	2	3
Mercury (Hg)	1,000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	-	µg/cm²	0.10	ND
Sum of PCBs	1,000	mg/kg	-	ND
Monochlorobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Trichlorobiphenyl	-	mg/kg	5	ND
Tetrachlorobiphenyl	-	mg/kg	5	ND
Pentachlorobiphenyl	-	mg/kg	5	ND
Hexachlorobiphenyl	-	mg/kg	5	ND
Octachlorobiphenyl	-	mg/kg	5	ND
Nonachlorobiphenyl	-	mg/kg	5	ND
Decachlorobiphenyl	-	mg/kg	5	ND
Sum of PCDEs	1,000	mg/kg	-	ND
Monochlorodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether	-	mg/kg	5	ND
Trichlorodiphenyl ether	-	mg/kg	5	ND
Tetrachlorodiphenyl ether	-	mg/kg	5	ND
Pentachlorodiphenyl ether	-	mg/kg	5	ND

 

SGS

Test Report No. CANC172118801 Date: 01 Nov 2017 Page 3 of 8

Test Item(s)	Limit	Unit	MDL	Det
Hexachlorobiphenyl ether	-	mg/kg	5	ND
Heptachlorobiphenyl ether	-	mg/kg	5	ND
Octachlorobiphenyl ether	-	mg/kg	5	ND
Nonachlorobiphenyl ether	-	mg/kg	5	ND
Decachlorobiphenyl ether	-	mg/kg	5	ND

Notes:

(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863. IEC 62321 series is equivalent to EN 62321 series.
http://www.cen.eu/en/standards/174343017422325703110111_FSP_ORG_ID/FSP_LANG_ID/125863_7_25
(2) * = a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µg/cm². The sample coating is considered to contain Cr(VI).
b. The sample is negative for Cr(VI) if Cr(VI) is ND (concentration less than 0.13 µg/cm²). The coating is considered a non-Cr(VI) based coating.
c. The result between 0.13 µg/cm² and 0.13 µg/cm² is considered to be inconclusive - unavoidable coating variations may influence the determination.
Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.

PFOS (Perfluorooctane Sulfonates)

Test Method: SGS in-house method (GZTC-CHEM-TOP-062, With reference to US EPA Method 8300C 2007), analysis was performed by LC-MS.

Test Item(s)	CAS NO.	Unit	MDL	Det
Perfluorooctane Sulfonate (PFOS)*	-	mg/kg	10	ND

Notes:

(1) For reference: commission regulation (EU) No 757/2010 amending regulation (EC) No 853/2004. For the purposes of this entry, Article 6(1)(b) shall apply to concentrations of PFOS equal to or below 10 mg/kg (0.001 % by weight) when it occurs in substances or in preparations.
For the purposes of this entry, Article 6(1)(c) shall apply to concentrations of PFOS in semi-finished products or articles, or parts thereof, if the concentration of PFOS is lower than 0.1 % by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is lower than 1 µg/m² of the coated material.
(2) * PFOS refers to Perfluorooctanesulfonic acid and its derivatives including Perfluorooctanesulfonic acid, Perfluorooctane sulfonamide, N-Methylperfluorooctane sulfonamide, N-Ethylperfluorooctane sulfonamide, N-Methylperfluorooctane sulfonamideethanol and N-Ethylperfluorooctane sulfonamideethanol.

 

SGS

Test Report No. CANC172118801 Date: 01 Nov 2017 Page 3 of 8

Test Item(s)	Limit	Unit	MDL	Det
Hexachlorobiphenyl ether	-	mg/kg	5	ND
Heptachlorobiphenyl ether	-	mg/kg	5	ND
Octachlorobiphenyl ether	-	mg/kg	5	ND
Nonachlorobiphenyl ether	-	mg/kg	5	ND
Decachlorobiphenyl ether	-	mg/kg	5	ND

Notes:

(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863. IEC 62321 series is equivalent to EN 62321 series.
http://www.cen.eu/en/standards/174343017422325703110111_FSP_ORG_ID/FSP_LANG_ID/125863_7_25
(2) * = a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µg/cm². The sample coating is considered to contain Cr(VI).
b. The sample is negative for Cr(VI) if Cr(VI) is ND (concentration less than 0.13 µg/cm²). The coating is considered a non-Cr(VI) based coating.
c. The result between 0.13 µg/cm² and 0.13 µg/cm² is considered to be inconclusive - unavoidable coating variations may influence the determination.
Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.

PFOS (Perfluorooctane Sulfonates)

Test Method: SGS in-house method (GZTC-CHEM-TOP-062, With reference to US EPA Method 8300C 2007), analysis was performed by LC-MS.

Test Item(s)	CAS NO.	Unit	MDL	Det
Perfluorooctane Sulfonate (PFOS)*	-	mg/kg	10	ND

Notes:

(1) For reference: commission regulation (EU) No 757/2010 amending regulation (EC) No 853/2004. For the purposes of this entry, Article 6(1)(b) shall apply to concentrations of PFOS equal to or below 10 mg/kg (0.001 % by weight) when it occurs in substances or in preparations.
For the purposes of this entry, Article 6(1)(c) shall apply to concentrations of PFOS in semi-finished products or articles, or parts thereof, if the concentration of PFOS is lower than 0.1 % by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is lower than 1 µg/m² of the coated material.
(2) * PFOS refers to Perfluorooctanesulfonic acid and its derivatives including Perfluorooctanesulfonic acid, Perfluorooctane sulfonamide, N-Methylperfluorooctane sulfonamide, N-Ethylperfluorooctane sulfonamide, N-Methylperfluorooctane sulfonamideethanol and N-Ethylperfluorooctane sulfonamideethanol.

 

OUR COMPANY:



公司简介 CHARACTERISTICS

制造充满幸福的产品

To reate products that deliver happiness to everyone



SHENZHEN OKM ELECTRONICS CO.,LTD is now one of the largest suppliers of all kinds of plastic and metallic enclosures in different fields of electronic, electrical, communication, medi-cal, industrial and research projects purposes, We have more than 1000 moulds, and we can do cutout, silkscreen, label, sticker, laser carve and creat a new mould for you In today's industrial world and with the rapid development of all indus-tres, the need of these prodrcts is sensed more than ever. meet these needs and help you to reach your ideals.

CONTACT US:



T/T, WESTERN UNION, MONEY
GRAM AND PAYPAL ACCPETED.

Skype: 13691908154

Tel: +86 13691908154

E-mail: galaxie@szomk.net

Contact Us