

Specifications:

WP9133 IP67 waterproof plastic enclosure walled mounted on tube Industrial
4.0 Lora Sensor Plastic Housing

Type	
Model Number	WP9133
Size	130*90*25MM
Brand	SZOMK
Material	ABS / ASA
Color	Light grey / GREY
Package	Carton and Foam
Operating Temperature	-45°C to 85°C
Capacity	100000 parts per week
Waterproof rating	IP67

Waterproof enclosures ensure internal electrical and electronic components are protected in any environment. Durability guaranteed, waterproof boxes and weatherproof enclosures are specifically designed to meet and exceed various NEMA and IP requirements, making them ideal for both indoor and outdoor applications. From smaller waterproof boxes for electronics, to large weatherproof electrical enclosures, we offer a variety of styles, sizes, and materials to choose from. With a watertight gasket, sealed enclosures are guaranteed to keep electronic and electrical equipment safe in wet conditions.

Application

IOT Sensor Data Logger for Agriculture

Greenhouse multi sensor

LeakLess Monitor - Industrial Pressure/Flow Data Logger

Leak Guard - Home Water Leak Ditector

Wireless tank level sensor

Wireless Temperature/Humidity Transmitter

Air Pressure Sensor

Remote Surveillance Sensor

Network Sensor for Agriculture
Remote Sprinkler Control Unit
Maritime GPS Tracking System
Temperature sensor for environmental

It is widely used in electronics, instrumentation, automation, communication, power supply unites, student projects, amplifiers, healthcare equipment, test and measurement equipment, industrial control, peripherals devices and interfaces, switch boxes.inquiry will surely get prompt response in 24 hours. :-)

5 sizes available


WP9133 : 130* 90*25 MM

WP11154 : 150*110*40 MM

WP13183 : 175* 130*30 MM

WP13184 : 175*130*40 MM

WP15216 : 210*150*55 MM




Product no./Dimensions

Product no.	External dimensions mm			Internal dimensions mm			Weight(g)
Charcoal gray(ABS)	H	D	W	H	D	W	
AK-WP-9133	25	130	90	25	130	90	113
AK-WP-11154	40	150	110	40	150	110	181
AK-WP-13183	30	175	130	30	175	130	225
AK-WP-13185	45	175	130	45	175	130	266
AK-WP-15216	55	210	150	55	210	150	367.5

Blind lids



Top cover




Gasket Ring



Bottom base




Pole mount bracket



Screws







Dustproof



Operating temperature

ASA

-30 ~ +60°C



IP67 Waterproof



UV-Weatherproof







SZOMK

25*130*90mm



113g

AK-WP-9133

SZOMK

25*130*90mm




113g

AK-WP-9133

SZOMK

25*130*90mm



113g

AK-WP-9133

SZOMK

25*130*90mm



113g



AK-WP-9133