

## **Application Area:**

**IOT Device, Sensor, Controller, Network Device, Measuring Equipment, Data Transmitter/Receiver, Wifi Access Point, Industrial Interconnection, Home automation, Environmental Monitoring, Telemetry and Remote Control, Digital Communication, Rail Transit, Instrumentation, such as Lighting Automation Control, Wireless Data Acquisition and Monitoring of Sensors, Oil field, Electric Power, Mining and Logistics Management etc.**

## **Our advantages:**


- \* Leading Manufacturer, Direct Factory in Dongguan and Zhejiang**
- \* Competitive Price**
- \* Enclosure Designing, Private Mold Making**
- \* Timely Pre-sale Service and After-sale Service**
- \* One-stop Enclosure Supplier, Provide OEM/ODM Service**
- \* Sales Person Good at English, Reduce Communication Cost**
- \* Professional Engineer Team on Enclosure Designing, Moulding, Production and Professional Sales Teams**
- \* Strict Control On Incoming Material Inspection, Injection Goods Inspection, Product Quality Inspection Before Packaging**
- \* Provide Thousands of Public Enclosures, Including Plastic Box, Aluminum Extruded Box, Metal Sheet Enclosure, Iron Box, Die Cast or Amplifier Aluminum Box, Tool Case, Electronics Components etc.**
- \* Customized Services: Change Product Material/Color--Cutout--Silkscreen/Pad/UV Printing--Laser Engraving--Sticker--Membrane Keyboard--Acrylic Plate--RFI/EMI Shielding Coating--Oil Spray--Hot Melt Treatment--Electroplating--Custom PC Plate--Plastic/Aluminum CNC, Ultrasonic Welding--3D Printing (RDM/SLA/SLS,FSM)--Vacuum Casting,--Sheet Metal Bending etc.**
- \* Help To Find Electronics Accessories and Components Customers Need**

**SZOMK**



► **Enclosure Manufacturer**  
[www.chinaenclosure.com](http://www.chinaenclosure.com)

**SZOMK**



**AK-01-56    250\*220\*60mm    510g**

**SZOMK**



**AK-01-56    250\*220\*60mm    510g**

**SZOMK**



**AK-01-56    250\*220\*60mm    510g**

**SZOMK**



**AK-01-56    250\*220\*60mm    510g**

**SZOMK**



**AK-01-56    250\*220\*60mm    510g**

**SZOMK**



**AK-01-56    250\*220\*60mm    510g**

| IP65 Waterproof Enclosure Size List                                                            |             |           |             |                   |           |              |             |
|------------------------------------------------------------------------------------------------|-------------|-----------|-------------|-------------------|-----------|--------------|-------------|
| M.N.                                                                                           | Size(mm)    |           | M.N.        | Size(mm)          |           | M.N.         | Size(mm)    |
| AK-B-1                                                                                         | 200×120×72  |           | AK-B-33-1   | 265×140×105       |           | AK-01-55     | 250'160'90  |
| AK-B-2                                                                                         | 158×90×60   |           | AK-B-33-2   | 265×140×70        |           | AK-01-55-1   | 250'160'100 |
| AK-B-2B                                                                                        | 158×90×60   |           | AK-B-34-1   | 265×140×90        |           | AK-01-56     | 250'200'60  |
| AK-B-F2-2                                                                                      | 158×90×60   |           | AK-B-34-2   | 265×140×55        |           | AK-01-56-1   | 250'200'100 |
| AK-B-3                                                                                         | 115×90×55   |           | AK-B-35-1   | 230×120×95        |           | AK-01-57     | 330'300'90  |
| AK-B-4                                                                                         | 100×68×50   |           | AK-B-35-2   | 230×120×60        |           | AK-01-57-1   | 330'300'150 |
| AK-B-5                                                                                         | 160×160×90  |           | AK-B-36-1   | 230×120×80        |           | AK-02-19-JK  | 280×190×130 |
| AK-B-6                                                                                         | 263×185×95  |           | AK-B-36-2   | 230×120×45        |           | AK-02-20-JK  | 380×280×130 |
| AK-B-7                                                                                         | 197×92×46   | with ears | AK-B-37-1   | 192×100×62        | with ears | AK-02-21-JK  | 380×280×180 |
| AK-B-8                                                                                         | 158×90×39   |           | AK-B-37-2   | 192×100×45        | with ears | AK-02-22T-JK | 380×190×130 |
| AK-B-9                                                                                         | 162×81×65   | with ears | AK-B-38     | 240×160×90        |           | AK-02-23-JK  | 380×190×180 |
| AK-B-10                                                                                        | 158×90×46   |           | AK-B-39     | 240×120×63        | with ears | AK-02-24-JK  | 280×280×130 |
| AK-B-11                                                                                        | 240×120×75  | with ears | AK-B-50B    | 480×370×200       | Hinged    | AK-02-25-JK  | 280×280×180 |
| AK-B-12                                                                                        | 195×90×60   | with ears | AK-B-51     | 390×290×165       | Hinged    | AK-02-27T-JK | 280×190×180 |
| AK-B-13                                                                                        | 115×129×68  | with ears | AK-B-51B    | 390×290×165       | Hinged    | AK-02-31-JK  | 190×190×130 |
| AK-B-14                                                                                        | 138×68×50   | with ears | AK-B-52     | 290×190×140       | Hinged    | AK-02-34-JK  | 560×380×185 |
| AK-B-15                                                                                        | 230×150×85  |           | AK-B-52B    | 290×190×140       | Hinged    | AK-02-35-JK  | 560×380×265 |
| AK-B-16                                                                                        | 160×110×90  |           | AK-B-52C    | 290×190×140       | Hinged    | AK-B-K1      | 290×200×130 |
| AK-B-17                                                                                        | 320×240×110 |           | AK-B-53     | 340×240×155       | Hinged    | AK-B-K2      | 250×170×120 |
| AK-B-18                                                                                        | 120×120×90  |           | AK-B-53B    | 340×240×155       | Hinged    | AK-B-K3      | 210×120×110 |
| AK-B-19                                                                                        | 89×58×35    | with ears | AK-B-54     | 240×170×110       | Hinged    | AK-B-K4      | 160×100×56  |
| AK-B-20                                                                                        | 64×58×35    |           | AK-B-54B    | 240×170×110       | Hinged    | AK-B-K5      | 133×80×90   |
| AK-B-21                                                                                        | 84×59×33    | with ears | AK-01-29    | 135×85×72         | Hinged    | AK-B-K6      | 100×70×38   |
| AK-B-22                                                                                        | 263×185×70  |           | AK-01-30    | 220×150×105       | Hinged    | AK-B-K11     | 300×270×110 |
| AK-B-23                                                                                        | 200×120×60  |           | AK-01-31    | 285×189×140       | Hinged    | AK-B-K12     | 230×255×100 |
| AK-B-24                                                                                        | 230×150×70  | with ears | AK-01-32    | 165×158×121       | Hinged    | AK-B-K13     | 215×185×85  |
| AK-B-25                                                                                        | 200×163×90  | with ears | AK-01-33    | 222×185×106       | Hinged    | AK-B-K14     | 180×150×70  |
| AK-B-26                                                                                        | 380×260×120 |           | AK-01-34    | 295×255×102       | Hinged    | AK-B-K15     | 145×120×60  |
| AK-B-27-1                                                                                      | 355×185×133 |           | AK-01-35    | 160×140×84        | Hinged    | AK-B-K16     | 125×100×62  |
| AK-B-27-2                                                                                      | 355×185×97  |           | AK-01-36    | 175×125×85        | Hinged    | AK-B-K18     | 235×165×45  |
| AK-B-28-1                                                                                      | 355×185×113 |           | AK-01-37    | 200×150×100       | Hinged    | AK-B-K19     | 200×140×41  |
| AK-B-28-2                                                                                      | 355×185×77  |           | AK-01-38    | 251×170×101       | Hinged    | AK-B-K20     | 170×120×21  |
| AK-B-29-1                                                                                      | 325×170×103 |           | AK-01-46    | 285×185×180       | Hinged    | AK-B-K21     | 145×102×31  |
| AK-B-29-2                                                                                      | 325×170×60  |           | AK-01-47    | 285×285×155       | Hinged    | AK-B-K22-1   | 200×120×90  |
| AK-B-30-1                                                                                      | 325×170×123 |           | AK-01-48    | 335×235×150       | Hinged    | AK-B-K22-2   | 200×120×72  |
| AK-B-30-2                                                                                      | 325×170×78  |           | AK-01-49    | 460×350×165       | Hinged    | AK-B-K22-3   | 200×120×63  |
| AK-B-31-1                                                                                      | 295×155×96  |           | AK-01-52    | 150'120'50        | with ears | AK-B-K23-1   | 200×120×90  |
| AK-B-31-2                                                                                      | 295×155×55  |           | AK-01-53    | 180'150'60        | with ears | AK-B-K23-2   | 200×120×72  |
| AK-B-32-1                                                                                      | 295×155×112 |           | AK-01-54    | 205'177'60        | with ears | AK-B-K23-3   | 200×120×63  |
| AK-B-32-2                                                                                      | 295×155×72  |           | AK-01-54-1  | 205'177'100       | with ears | AK-B-K24-1   | 230×150×110 |
| IP65 Waterproof Enclosure Size List (Transparent Cover)                                        |             |           |             |                   |           |              |             |
| M.N.                                                                                           | Size(mm)    |           |             |                   |           | M.N.         | Size(mm)    |
| AK-B-FT1                                                                                       | 200×120×72  |           |             |                   |           | AK-B-FT13    | 115×129×68  |
| AK-B-FT2                                                                                       | 158×90×60   |           |             |                   |           | AK-B-FT14    | 138×68×50   |
| AK-B-FT3                                                                                       | 115×90×55   |           |             |                   |           | AK-B-FT15    | 230×150×85  |
| AK-B-FT4                                                                                       | 100×68×50   |           |             |                   |           | AK-B-FT16    | 160×110×90  |
| AK-B-FT5                                                                                       | 160×160×90  |           |             |                   |           | AK-B-FT17    | 320×240×110 |
| AK-B-FT6                                                                                       | 263×185×95  |           |             |                   |           | AK-B-FT18    | 120×120×90  |
| AK-B-FT9                                                                                       | 162×81×65   |           |             | with ears         |           | AK-B-FT21    | 84×59×33    |
| AK-B-FT11                                                                                      | 240×120×75  |           |             | with ears         |           | AK-B-FT23    | 200×120×60  |
| AK-B-FT12                                                                                      | 195×90×60   |           |             | with ears         |           | AK-B-FT25    | 200×163×90  |
| IP66 Waterproof Enclosure Size List (Hinged)                                                   |             |           |             |                   |           |              |             |
| M.N.                                                                                           | Size(mm)    |           |             |                   |           | M.N.         | Size(mm)    |
| AK-01-58                                                                                       | 131'82'45   |           |             |                   |           | AK-01-65     | 220'170'110 |
| AK-01-59                                                                                       | 165'105'65  |           |             |                   |           | AK-01-66     | 200'100'70  |
| AK-01-60                                                                                       | 234'180'74  |           |             |                   |           | AK-01-67     | 150'150'90  |
| AK-01-61                                                                                       | 178'128'85  |           |             |                   |           | AK-01-68     | 220'160'72  |
| AK-01-62                                                                                       | 290'225'84  |           |             |                   |           | AK-01-69     | 190'140'72  |
| AK-01-63                                                                                       | 340'240'155 |           |             | translucent cover |           | AK-01-70     | 170'120'72  |
| AK-01-64                                                                                       | 300'200'170 |           |             | translucent cover |           | AK-01-71     | 150'100'72  |
| IP65 Waterproof Enclosure Size List (Beige)                                                    |             |           |             |                   |           |              |             |
| M.N.                                                                                           | Size(mm)    |           | M.N.        | Size(mm)          |           | M.N.         | Size(mm)    |
| AK-B-40-1                                                                                      | 100×60×40   | has ears  | AK-B-42-3   | 110×110×60        | has ears  | AK-B-40-2    | 100×60×40   |
| AK-B-40-3                                                                                      | 100×60×60   | has ears  | AK-B-43-1   | 140×100×40        | has ears  | AK-B-40-4    | 100×60×60   |
| AK-B-41-1                                                                                      | 110×85×40   | has ears  | AK-B-43-3   | 140×100×60        | has ears  | AK-B-41-2    | 110×85×40   |
| AK-B-41-3                                                                                      | 110×85×60   | has ears  | AK-B-44-1   | 160×110×40        | has ears  | AK-B-41-4    | 110×85×60   |
| AK-B-42-1                                                                                      | 110×110×40  | has ears  | AK-B-44-3   | 160×110×60        | has ears  | AK-B-42-2    | 110×110×40  |
| AK-B-42-4                                                                                      |             |           |             |                   |           | AK-B-44-4    | 160×110×60  |
| IP66 Waterproof Enclosure Size List (Light Grey)                                               |             |           |             |                   |           |              |             |
| M.N.                                                                                           | Size(mm)    |           | M.N.        | Size(mm)          |           | M.N.         | Size(mm)    |
| AK-AG-1                                                                                        | 65'50'55    |           | AK-AG-11    | 130'80'85         |           | AK-AG-21     | 175'125'75  |
| AK-AG-2                                                                                        | 65'50'55    |           | AK-AG-12    | 180'80'70         |           | AK-AG-22     | 175'125'100 |
| AK-AG-3                                                                                        | 95'65'55    |           | AK-AG-13    | 180'80'70         |           | AK-AG-23     | 175'125'100 |
| AK-AG-4                                                                                        | 130'80'70   |           | AK-AG-14    | 250'80'70         |           | AK-AG-24     | 200'150'75  |
| AK-AG-5                                                                                        | 110'80'70   |           | AK-AG-15    | 250'80'70         |           | AK-AG-25     | 170'140'85  |
| AK-AG-6                                                                                        | 130'80'85   |           | AK-AG-16    | 250'80'85         |           | AK-AG-26     | 200'150'100 |
| AK-AG-7                                                                                        | 110'80'85   |           | AK-AG-17    | 250'80'85         |           | AK-AG-27     | 200'150'100 |
| AK-AG-8                                                                                        | 100'100'75  |           | AK-AG-18    | 110'80'45         |           | AK-AG-28     | 200'150'130 |
| AK-AG-9                                                                                        | 130'80'85   |           | AK-AG-19    | 125'125'75        |           | AK-AG-29     | 175'175'100 |
| AK-AG-10                                                                                       | 110'80'85   |           | AK-AG-20    | 125'125'100       |           | AK-AG-30     | 175'175'100 |
| IP65 Waterproof Enclosure Size List (Cable Entry)                                              |             |           |             |                   |           |              |             |
| M.N.                                                                                           | Size(mm)    |           | M.N.        | Size(mm)          |           | M.N.         | Size(mm)    |
| AK-AG-37                                                                                       | 50'50       | (IP55)    | AK-AG-41    | 100'100'70        |           | AK-AG-45     | 200'155'90  |
| AK-AG-38                                                                                       | 80'50       | (IP55)    | AK-AG-42    | 150'110'70        |           | AK-AG-46     | 200'200'80  |
| AK-AG-39                                                                                       | 80'80'50    | (IP55)    | AK-AG-43    | 150'150'70        |           | AK-AG-47     | 255'200'80  |
| AK-AG-40                                                                                       | 85'85'50    | (IP55)    | AK-AG-44    | 200'100'70        |           | AK-AG-48     | 300'250'120 |
| IP67 Waterproof Enclosure Size List (Blue Series, Can Assemble With Wall Mounts Plastic Parts) |             |           |             |                   |           |              |             |
| M.N.                                                                                           | Size(mm)    |           | M.N.        | Size(mm)          |           | M.N.         | Size(mm)    |
| AK-AG-50                                                                                       | 120'120'55  |           | AK-AG-57    | 85'60'35          |           | AK-AG-64     | 230'150'85  |
| AK-AG-51                                                                                       | 160'160'65  |           | AK-AG-58    | 265'185'60        |           | AK-AG-65     | 158'90'45   |
| AK-AG-52                                                                                       | 115'90'55   |           | AK-AG-59    | 200'120'55        |           | AK-AG-66     | 160'110'65  |
| AK-AG-53                                                                                       | 115'90'35   |           | AK-AG-60    | 200'150'55        |           | AK-AG-67     | 158'90'60   |
| AK-AG-54                                                                                       | 85'85'40    |           | AK-AG-61    | 200'150'80        |           | AK-AG-68     | 265'185'95  |
| AK-AG-55                                                                                       | 100'68'50   |           | AK-AG-62    | 160'110'50        |           | AK-AG-69     | 200'200'100 |
| AK-AG-56                                                                                       | 100'68'40   |           | AK-AG-63    | 200'120'75        |           | AK-AG-70     | 200'200'70  |
| IP67 Waterproof Enclosure Size List (Black)                                                    |             |           |             |                   |           |              |             |
| M.N.                                                                                           | Size(mm)    |           | M.N.        | Size(mm)          |           | M.N.         | Size(mm)    |
| AK-B-S-1                                                                                       | 63'58'35    |           | AK-B-S-2-2  | 115'90'55         |           | AK-B-S-4     | 200'120'75  |
| AK-B-S-1-2                                                                                     | 83'81'56    |           | AK-B-S-3    | 158'90'60         |           | AK-B-S-6     | 290'210'100 |
| AK-B-S-2                                                                                       | 100'68'50   |           | AK-B-S-3-2  | 120'120'90        |           | AK-B-S-14    | 100'68'50   |
| IP67 Pole Mounting Waterproof Enclosure (White/ Dark Grey Series)                              |             |           |             |                   |           |              |             |
| M.N.                                                                                           | Size(mm)    |           | M.N.        | Size(mm)          |           | M.N.         | Size(mm)    |
| AK-WP-9133                                                                                     | 25'130'90   | (ABS)     | AK-WP-11154 | 40'150'110        | (ASA)     | AK-WP-13185  | 45'175'130  |
| AK-WP-9133                                                                                     | 25'130'90   | (ASA)     | AK-WP-13183 | 30'175'130        | (ABS)     | AK-WP-13185  | 45'175'130  |
| AK-WP-11154                                                                                    | 40'150'110  | (ABS)     | AK-WP-13183 | 30'175'130        | (ASA)     | AK-WP-15216  | 55'210'150  |
| IP68 Waterproof Enclosure Size List (Black, Wall Mountable)                                    |             |           |             |                   |           |              |             |
| M.N.                                                                                           | Size(mm)    |           | M.N.        | Size(mm)          |           | M.N.         | Size(mm)    |
| AK-BW-01                                                                                       | 70'40'40    |           | AK-BW-03    | 120'70'48         |           | AK-BW-05     | 64'64'46    |
| AK-BW-02                                                                                       | 90'50'42    |           | AK-BW-04    | 140'85'56         |           | AK-BW-06     | 94'94'56    |
| AK-BW-09                                                                                       | 174'174'73  |           |             |                   |           | AK-BW-07     | 114'114'62  |
|                                                                                                |             |           |             |                   |           | AK-BW-08     | 134'134'66  |