Packaging & Delivery

Packaging Details: Carton and plastic foam and tape packaging-extruded aluminum box enclosure

diecast

Delivery Detail: 5-15 working days, different quantity different delivery time

Specifications

1.Type:electronic extruded aluminum control enclosure

2.Model No:AK-C-B25

3.Size:32(H)*139(W)*155(L)mm

4.MOQ:1 pc

Introduction of extruded aluminum box enclosure diecast

The extruded aluminum box enclosure diecast is used as an anode, placed in electrolyte, artificially formed the enclosure having a protective aluminum oxide film on the surface.

Extruded aluminum box enclosure diecast features

- 1. Has a strong resistance to abrasion, weathering, corrosion.
- 2. Can be formed on the surface of a variety of colors, to maximize fit your requirements.
- 3. Have a strong hardness, can be well protected your electronics.

Extruded aluminum enclosure

| Туре | B-Normal series extruded aluminum enclosure |
|----------------|--|
| Brand | SZOMK |
| Material | aluminum |
| Model No. | AK-C-B25 |
| Size | 32(H)*139(W)*free(mm) |
| Color | black and different colors can be customized |
| Customized MOQ | 1 pieces |
| Protect level | IP54 |
| Lead time | 7-15 days after get payment |
| Normal packing | Carton and plastic foam and tape packaging |

Detail picture of extruded aluminum enclosure



Customizable cutout, sticker silkscreen, color



Weight: 280g Size: 1.26*5.47*6.10 inch

Model No.AK-C-B25 32*139*155 mm







Wall-mounting series Size List:HxWxfree(mm) Length can be random Size List:HxWxfree(mm) Length can be random Seperated style series Size List:HxWxfree(mm) Silkscreen We can do

customize

Silicone Seals

Metal shell packaging

Plastic box packaging

Cutout

SZOMK

Our packaging

Plastic foam packaging

Certifications













ANY QUESTIONS, PLEASE CONTACT US





Carina



2819022460



81-755-83222882 +**86** 18819070232



16-6Floor, 505Building ,Shangbu Industry Area, Hangtian RD, Futian District ,Shenzhen China



carina@szomk.net



szomk1010



18819070232

WhatsApp