Packaging & Delivery

Packaging Details: Carton and plastic foam and tape packaging-extruded aluminum box enclosure

diecast

Delivery Detail: 5-15 working days, different quantity different delivery time

Specifications

1.Type:electronic extruded aluminum control enclosure

2.Model No:AK-C-B66

3.Size:40(H)50(W)200(L)mm

4.MOQ:1 pc

Introduction of extruded aluminum box enclosure diecast

The extruded aluminum box enclosure diecast is used as an anode, placed in electrolyte, artificially formed the enclosure having a protective aluminum oxide film on the surface.

Extruded aluminum box enclosure diecast features

- 1. Has a strong resistance to abrasion, weathering, corrosion.
- 2. Can be formed on the surface of a variety of colors, to maximize fit your requirements.
- 3. Have a strong hardness, can be well protected your electronics.

Extruded aluminum enclosure

Туре	B-Normal series extruded aluminum enclosure
Brand	SZOMK
Material	aluminum
Model No.	AK-C-B66
Size46	40(H)*50(W)*200(mm)
Color	silvery and different colors can be customized
Customized MOQ	1 pieces
Protect level	IP54
Lead time	7-15 days after get payment
Normal packing	Carton and plastic foam and tape packaging

Detail picture of extruded aluminum enclosure



Customizable cutout, sticker silkscreen, color



Weight: 120g Size: 1.57*1.97*7.87 inch

Model No.AK-C-B66 40*50*200 mm



Certifications













Certificated iso,quality assurance Certificated FCC &CE

ANY QUESTIONS, PLEASE CONTACT US

