Краткие сведения

1 Место происхождения: Чжэцзян, Китай (материк)

2 Фирменное наименование: АМК

3 Номер модели: АК126-5.0

4 Количество контактов: 1 - 10 Дирижер

5 Размер: 21 - 30 AWG Тип: Защита провода

6 Цвет: синий, зеленый

7 Pitch: 5.0mm 8 Оценка: 250 8A

9 полюс: 2 любых опор типа: разъем платы


Упаковка и усилитель; Доставка

Упаковка Подробности: 1000шт / полиэтиленовый пакет

Деталь поставки: Здня

Technical Parameters for Screw Terminal Block/Connector:

Electrical Specification Rated: 250V,16A	Mechanical Specification	Part & Material
	Temp.Range: -30C-+120 C	Body: PA66,UL94V-0
Contact resistence: 20mΩ Max	Max Soldering: +250 C,5s	Screw: Steel,Zn plating
Insulation resistence: 5000MΩ Min	Wire range: 22-14AWG(2.5MM2	Wire Protector: Bronze,Ni plating
Dielectric strength : 2000VAC min/60 seconds	Strip Length: 4.5 -5mm	Terminal: Brass,Tin plating




Pitch: 3.5MM 3.81MM Poles: 2pole 3pole to any poles

SZOMK

- ▶ Top quality products with certification of CE,UL,ROHS
- Short lead time, normally 3-5 days after payment
- Prompt reponse for your inquity

Cartificate











Company Information



Shenzhen Futian Huaqiang Electronic World OMK Electronic Sales Departmen

This complex,during long years of efforts with it's own experienced group and sole facilities for improvement of productions and promotion of products quality, is now one of the largest suppliers of all kinds of metallic and plastic enclosures in different fields of electronic,electrical,communication,medical,industrial and research prtojects purposes.

In today's industrial world and with the rapid development of all industries, the need of these products is sensed more than ever. Therefore by offering the best quality and service, we try to meet these needs and help you to reach your ideals.

Exhibition











Faciory and allowroom









































Shenzhen Futian Huaqiang Electronic World OMK Electronic Sales Department

Tel: +86-755-83222882 E-mail: ivy@szomk.com.cn

